

MATERNITY CARE

ISSUE DATE: August 26, 1985

AUTHORITY: [32 CFR 199.4\(c\)\(2\)\(i\)](#), [\(g\)\(16\)](#), [\(g\)\(5\)](#), [\(g\)\(34\)](#), and [\(g\)\(36\)](#)

I. CPT¹ PROCEDURE CODES

59000 - 59899, 82105, 82106, 82677, 82731, 84702

II. DESCRIPTION

Maternity care is the medical services related to conception, delivery and abortion, including prenatal and postpartum care (generally through the sixth post-delivery week), and treatment of complications of pregnancy.

III. POLICY

A. Services and supplies associated with antepartum care (including well-being of the fetus), childbirth, postpartum care, and complications of pregnancy may be cost-shared.

B. The mother and child hospital length-of-stay benefit may not be restricted to less than 48 hours following a normal vaginal delivery and 96 hours following a cesarean section. The decision to discharge prior to those minimum length-of-stays must be made by the attending physician in consultation with the mother.

C. Maternity care for pregnancy resulting from noncoital reproductive procedures may be cost-shared.

D. Services and supplies associated with antepartum care, childbirth, postpartum care and complications of pregnancy may be cost-shared where the surrogate mother is a TRICARE beneficiary. See also TRICARE Reimbursement Manual, [Chapter 4, Section 1](#), Double Coverage regarding impact of surrogate arrangements.

IV. EXCLUSIONS

A. Services and supplies related to noncoital reproductive procedures.

¹ CPT codes, descriptions and other data only are copyright 2004 American Medical Association. All rights reserved. Applicable FARS/DFARS Restrictions Apply to Government use.

B. Home uterine activity monitoring (HUAM), telephonic transmission of HUAM data, or HUAM-related telephonic nurse or physician consultation for the purpose of monitoring suspected or confirmed pre-term labor.

C. Off-label use of FDA-approved drugs to induce or maintain tocolysis.

D. Lymphocyte or paternal leukocyte immunotherapy in the treatment or recurrent spontaneous fetal loss. February 2000.

E. Salivary estriol test for preterm labor. February 2000.

- END -